



EDM DRILL MACHINE

1 MANUAL DRILL EDM

2 CNC DRILL EDM

3 CARBIDE DRILL EDM

4 ZNC
MANUAL DRILL EDM



1

MANUAL DRILL EDM



SY-2030



SY-2535



SY-3545



SY-2030A



SY-4055

CE



ISO 9001 : 2000

MACHINE SPECIFICATIONS

項目 ITEMS	UNIT	SY-2030F	SY-2030A	SY-2535	SY-3545	SY-4055
工作台面積 Work table	mm	460x210	480x210	600x300	600x300	800x450
X/Y 軸加工行程 X/Y axis travel	mm	300x200	300x200	350x250	450x350	550x400
Z/W 軸加工行程 Z/W axis travel	mm	345x---	345x200	345x200	345x200	345x250
X/Y/Z 光學尺顯示 X/Y/Z DRO resolution	mm	0.005	0.005	0.005	0.005	0.005
眼模導座行程 Electrode guide travel	mm	150	150	150	150	150
工作台面至眼模板高度 Guide between worktable	mm	50~200	5~360	5~370	5~380	95~495
最大加工工件重量 Max. workpiece weight	KGS	200	200	400	500	800
機械淨重 Machine weight	KGS	550	650	800	1000	1500
機台外觀尺寸(長x寬x高) Machine dimension (LxWxH)	mm	800x800x2000	1000x1020x2070	1080x1080x2100	1400x1400x2200	1600x1500x2050
輸入電壓 Power source	V	220/380/415/440	220/380/415/440	220/380/415/440	220/380/415/440	220/380/415/440
最大加工電流 Max. machining current	A	30	30	30	30	30
最大消耗電力 Max. power consumption	KVA	4	4	4	4	4

ACCESSORIES

項目 ITEMS	UNIT	SY-2030F	SY-2030A	SY-2535	SY-3545	SY-4055
工具箱 Tool box	1pcs	●	●	●	●	●
水平腳墊 Leveling pad	1set	●	●	●	●	●
六角扳手組 Hexagon wrench set	1set	●	●	●	●	●
眼模1.0mm Ceramic guide	1pcs	●	●	●	●	●
黃銅管1.0mm*400L Brass tube	20pcs	●	●	●	●	●
止水塞 Rubber seal	20pcs	●	●	●	●	●
捨棄式濾心 Disposable filter	2pcs	●	●	●	●	●
水桶 Bucket	2pcs	●	●	●	●	●
平行墊高塊 Parallel working pad	1set	●	●	●	●	●
十字&一字起子 Philip' s head & flat head screwdriver	1set	●	●	●	●	●
精密電極夾頭0.2-3.0mm Precise electrode chuck	1set	●	●	●	●	●
石英燈 Quartz lamp	1pcs	選配OPTIONAL	●	●	●	●
馬達及噴水座 Motor and flush stand	1set	選配OPTIONAL	●	●	●	●
ER旋轉軸 ER spindle (for 3.0-6.0mm)	1set	選配OPTIONAL	選配OPTIONAL	選配OPTIONAL	選配OPTIONAL	選配OPTIONAL
電動幫浦 Electric piston pump	1set	選配OPTIONAL	選配OPTIONAL	選配OPTIONAL	選配OPTIONAL	選配OPTIONAL
水箱(含水質設定) Water tank (including ionization treatment)	1set	選配OPTIONAL	選配OPTIONAL	選配OPTIONAL	選配OPTIONAL	選配OPTIONAL

2

CNC
DRILL
EDM



CE



ISO 9001 : 2000

SY-CNC2535

SY-CNC2535T

MACHINE SPECIFICATIONS

項目 ITEMS	單位 UNIT	SY-CNC2535	SY-CNC2535T
刀具數量 ATC (AEC)	Set(支)	----	12
工作台面積 Work table	mm	600x300	600x300
X/Y軸加工行程 X/Y axis travel	mm	345x245	345x245
Z/W軸加工行程 Z/W axis travel	mm	345x200	400x350
機械淨重 Machine weight	KGS	950	1000
最大加工工件重量 Max. workpiece weight	KGS	300	300
工作台面至眼模板高度 Guide between worktable	mm	5-370	5-360
機台外觀尺寸 (長x寬x高) Machine dimension (LxWxH)	mm	1620x1140x2325	1620x1140x2325
輸入電壓 Power source	V	220/380/415/440	220/380/415/440
最大加工電流 Max. machining current	A	30	30
最大消耗電力 Max. power consumption	KVA	4	4

ACCESSORIES

項目 ITEMS	單位 UNIT	SY-CNC2535	SY-CNC2535T
刀桿組 Tool chuck	set(組)	2	12
噴水式工作水槽 Flush work tank	1set(組)	●	---
浸水式工作水槽 Submerged tank	1set(組)	選配OPTIONAL	●
電子手輪 MPG	1set(組)	●	●
數位壓力錶 Digital pressure switch	1set(組)	●	●
工具箱 Tool box	1 pcs(只)	●	●
眼模1.0mm Ceramic guide	1 pcs(只)	●	●
黃銅管1.0mm*400L Brass tube	20 pcs(支)	●	●
空壓精密夾頭 Precise pneumatic chuck	1set(組)	●	●
水平腳墊 Leveling pad	1set(組)	●	●
捨棄式濾心 Disposable filter	2 pcs(支)	●	●
平行墊高塊 Parallel working pad	1set(組)	●	●
十字&一字起子 Philip' s head & flat head screwdriver	1set(組)	●	●
六角扳手組 Hexagon wrench set	1set(組)	●	●
石英燈 Quartz lamp	1 pcs(支)	●	●
止水塞 Rubber seal	20pcs(只)	●(ER)	●(ER)
ER筒夾組 ER collet set	1set(組)	●	●
鎖刀架 Tool lock stand	1set(組)	●	●

項目 ITEMS	單位 UNIT	SY-CNC2535	SY-CNC2535T
置刀架 Tool storage	1set(組)	---	●
馬達及噴水座 Motor and flush stand	1set(組)	●	●
NC連結軟體 NC connecting with software	1set(組)	●	●
網路線10M Web wire	1pcs(條)	●	●
水桶 Bucket	1 pcs(只)	●	---
水箱30L(無過濾&水質處理) Water tank 30L(no clean system)	1set(台)	●	---
水箱(含水質設定系統) Water tank (including ionization treatment)	1set(台)	選配OPTIONAL	●
三爪夾頭 3 Jaw chuck	1set(組)	選配OPTIONAL	選配OPTIONAL
自動換眼模組 12AGC	1set(組)	---	選配OPTIONAL
AB軸(分度盤) AB axis (rotary table)	1set(組)	---	選配OPTIONAL
C軸(1000rpm旋轉軸) C axis rotation spindle speed control	1set(組)	選配OPTIONAL	選配OPTIONAL
X/Y軸光學尺 X/Y axis linear scale	1set(組)	選配OPTIONAL	選配OPTIONAL
電動注油器 Auto lube grease	1set(組)	選配OPTIONAL	選配OPTIONAL
電動幫浦 Electric piston pump	1set(台)	選配OPTIONAL	選配OPTIONAL
冷卻器 Chiller	1set(台)	選配OPTIONAL	選配OPTIONAL
穩壓器 AVR	1set(台)	選配OPTIONAL	選配OPTIONAL

2

CNC
DRILL
EDM



SY-CNC3040T

MACHINE SPECIFICATIONS

項目 ITEMS	UNIT	SY-CNC3040	SY-CNC3040T
刀具數量 ATC	PCS	---	20
工作台面積 Work table	mm	448x564	448x564
X/Y軸加工行程 X/Y axis travel	mm	400x300	400x300
Z/W軸加工行程 Z/W axis travel	mm	400x400	400x400
機械淨重 Machine weight	KGS	1200	1200
最大加工工件重量 Max. workpiece weight	KGS	500	500
工作台面至眼模板高度 Guide between worktable	mm	45-455	45-455
機台外觀尺寸 (長x寬x高) Machine dimension (LxWxH)	mm	1660x1850x2550	1660x1850x2550
輸入電壓 Power source	V	220/380/415/440	220/380/415/440
最大加工電流 Max. machining current	A	30	30
最大消耗電力 Max. power consumption	KVA	4	4

ACCESSORIES

項目 ITEMS	UNIT	SY-CNC3040	SY-CNC3040T
刀桿組 Tool chuck set	set	2	20
浸水式工作水槽 Submerged tank	1set	●	●
電子手輪 MPG	1set	●	●
數位壓力錶 Digital pressure switch	1set	●	●
工具箱 Tool box	1pcs	●	●
眼模1.0mm Ceramic guide 1.0mm	1pcs	●	●
黃銅管1.0mm*400L Brass tube	20pcs	●	●
空壓精密夾頭 Precise pneumatic chuck	1set	●	●
水平腳墊 Leveling pad	1set	●	●
捨棄式濾心 Disposable filter	2pcs	●	●
平行墊高塊 Parallel working pad	1set	●	●
十字&一字起子 Philip' s head & flat head screwdriver	1set	●	●
六角扳手組 Hexagon wrench set	1set	●	●
石英燈 Quartz lamp	1pcs	●	●
ER止水塞 ER rubber seal	20pcs	●	●

項目 ITEMS	UNIT	SY-CNC3040	SY-CNC3040T
馬達及噴水座 Motor and flush stand	1set	●	●
鎖刀架 Tool lock stand	1set	●	●
ER筒夾組 ER collet set	1set	●	●
NC連結軟體 NC connecting with software	1set	●	●
網路線10M Web wire	1pcs	●	●
置刀架 Tool storage	1set	選配OPTIONAL	●
水箱(含水質設定) Water tank (including ionization treatment)	1set	選配OPTIONAL	●
自動換眼模組 12 AGC	1set	選配OPTIONAL	選配OPTIONAL
AB軸(分度盤) AB axis (rotary table)	1set	選配OPTIONAL	選配OPTIONAL
C軸(1000rpm旋轉軸) C axis rotation spindle speed control	1set	選配OPTIONAL	選配OPTIONAL
X/Y軸光學尺 X/Y axis linear scale	1set	選配OPTIONAL	選配OPTIONAL
電動注油器 Auto lube grease	1set	選配OPTIONAL	選配OPTIONAL
電動幫浦 Electric piston pump	1set	選配OPTIONAL	選配OPTIONAL
冷卻器 Chiller	1set	選配OPTIONAL	選配OPTIONAL
穩壓器 AVR	1set	選配OPTIONAL	選配OPTIONAL
三爪夾頭組 3 jaw chuck	1set	選配OPTIONAL	選配OPTIONAL
CE全罩式 CE cover	1set	選配OPTIONAL	選配OPTIONAL

2

CNC
DRILL
EDM



MACHINE SPECIFICATIONS

項目 ITEMS	UNIT	SY-CNC4060	SY-CNC4050T
刀具數量 ATC (AEC)	Set(支)	---	10/20/30
工作台面積 Work table	mm	800x500	800x500
X/Y軸加工行程 X/Y axis travel	mm	600x400	500x400
Z/W軸加工行程 Z/W axis travel	mm	400x350	400x350
機械淨重 Machine weight	KGS	2000	2200
最大加工工件重量 Max. workpiece weight	KGS	800	800
工作台面至眼模板高度 Guide between worktable	mm	5-380	5-380
機台外觀尺寸 (長x寬x高) Machine dimension (LxWxH)	mm	2130x1900x2157	2290x1850x2270
輸入電壓 Power source	V	220/380/415/440	220/380/415/440
最大加工電流 Max. machining current	A	30	30
最大消耗電力 Max. power consumption	KVA	4	4

ACCESSORIES

項目 ITEMS	UNIT	SY-CNC4060	SY-CNC4050T	項目 ITEMS	UNIT	SY-CNC4060	SY-CNC4050T
刀桿組 Tool chuck	set(組)	2	10/20/30	置刀架 Tool storage	1set(組)	---	●
噴水式工作水槽 Flush work tank	1set(組)	●	---	馬達及噴水座 Motor and flush stand	1set(組)	●	●
浸水式工作水槽 Submerged tank	1set(組)	選配OPTIONAL	●	NC連結軟體 NC connecting with software	1set(組)	●	●
電子手輪 MPG	1set(組)	●	●	網路線10M Web wire	1pcs(條)	●	●
數位壓力錶 Digital pressure switch	1set(組)	●	●	水桶 Bucket	1pcs(只)	●	---
工具箱 Tool box	1 pcs(只)	●	●	水箱30L (無過濾&水質處理) Water tank 30L(no clean system)	1set(台)	●	---
眼模1.0mm Ceramic guide	1 pcs(只)	●	●	水箱(含過濾及水質設定系統) Water tank (including ionization treatment)	1set(台)	選配OPTIONAL	●
黃銅管1.0mm*400L Brass tube	20 pcs(支)	●	●	三爪夾頭 3 Jaw chuck	1set(組)	選配OPTIONAL	選配OPTIONAL
空壓精密夾頭 Precise pneumatic chuck	1set(組)	●	●	自動換眼模組 12AGC	1set(組)	選配OPTIONAL	選配OPTIONAL
水平腳墊 Leveling pad	1set(組)	●	●	AB軸(分度盤) AB axis (rotary table)	1set(組)	選配OPTIONAL	選配OPTIONAL
捨棄式濾心 Disposable filter	2 pcs(支)	●	●	C軸 (1000rpm旋轉軸) C axis rotation spindle speed control	1set(組)	選配OPTIONAL	選配OPTIONAL
平行墊高塊 Parallel working pad	1set(組)	●	●	X/Y軸光學尺 X/Y axis linear scale	1set(組)	選配OPTIONAL	選配OPTIONAL
十字&一字起子 Philip's head & flat head screwdriver	1set(組)	●	●	電動注油器 Auto lube grease	1set(組)	選配OPTIONAL	選配OPTIONAL
六角扳手組 Hexagon wrench set	1set(組)	●	●	電動幫浦 Electric piston pump	1set(台)	選配OPTIONAL	選配OPTIONAL
石英燈 Quartz lamp	1 pcs(支)	●	●	冷卻器 Chiller	1set(台)	選配OPTIONAL	選配OPTIONAL
止水塞 Rubber seal	20pcs(只)	●(ER)	●(ER)	穩壓器 AVR	1set(台)	選配OPTIONAL	選配OPTIONAL
ER筒夾組 ER collet set	1set(組)	●	●				
鎖刀架 Tool lock stand	1set(組)	●	●				

2

CNC
DRILL
EDM



SY-CNC9070T

CE
ANAB
ACCREDITED
ISO 9001 : 2000

MACHINE SPECIFICATIONS

項目 ITEMS	單位 UNIT	SY-CNC9070	SY-CNC9070T
刀具數量 ATC	PCS	----	20/30
工作台面積 Work table	mm	900x720	900x720
X/Y軸加工行程 X/Y axis travel	mm	900x700	900x700
Z/W軸加工行程 Z/W axis travel	mm	400x510	400x510
機械淨重 Machine weight	KGS	2300	2800
最大加工工件重量 Max. workpiece weight	KGS	1000	1000
工作台面至眼模板高度 Guide between worktable	mm	25-538	25-538
機台外觀尺寸 (長x寬x高) Machine dimension (LxWxH)	mm	2850x2950x2650	2850x2950x2650
輸入電壓 Power source	V	220/380/415/440	220/380/415/440
最大加工電流 Max. machining current	A	30	30
最大消耗電力 Max. power consumption	KVA	4	4

ACCESSORIES

項目 ITEMS	單位 UNIT	SY-CNC9070	SY-CNC9070T	項目 ITEMS	單位 UNIT	SY-CNC9070	SY-CNC9070T
刀桿組 Tool chuck set	set(組)	2	20/30	ER筒夾組 ER collet set	1set(組)	●	●
浸水式工作水槽 Submerged tank	1set(組)	●	●	NC連結軟體 NC connecting with software	1set(組)	●	●
電子手輪 MPG	1set(組)	●	●	網路線10M Web wire	1pcs(條)	●	●
數位壓力錶 Digital pressure switch	1set(組)	●	●	置刀架 Tool storage	1set(組)	選配OPTIONAL	●
工具箱 Tool box	1 pcs(只)	●	●	水箱(含水質設定) Water tank (including ionization treatment)	1set(組)	選配OPTIONAL	●
眼模1.0mm Ceramic guide	1 pcs(只)	●	●	自動換眼模組 12 AGC	1set(組)	選配OPTIONAL	選配OPTIONAL
黃銅管1.0mm*400L Brass tube	20 pcs(支)	●	●	AB軸(分度盤) AB axis (rotary table)	1set(台)	選配OPTIONAL	選配OPTIONAL
空壓精密夾頭 Precise pneumatic chuck	1set(組)	●	●	C軸(1000rpm旋轉軸) C axis rotation spindle speed control	1set(組)	選配OPTIONAL	選配OPTIONAL
水平腳墊 Leveling pad	1set(組)	●	●	X/Y軸光學尺 X/Y axis linear scale	1set(組)	選配OPTIONAL	選配OPTIONAL
捨棄式濾心 Disposable filter	2 pcs(支)	●	●	電動注油器 Auto lube grease	1set(組)	選配OPTIONAL	選配OPTIONAL
平行墊高塊 Parallel working pad	1set(組)	●	●	電動幫浦 Electric piston pump	1set(台)	選配OPTIONAL	選配OPTIONAL
十字&一字起子 Philip' s head & flat head screwdriver	1set(組)	●	●	冷卻器 Chiller	1set(台)	選配OPTIONAL	選配OPTIONAL
六角扳手組 Hexagon wrench set	1set(組)	●	●	穩壓器 AVR	1set(台)	選配OPTIONAL	選配OPTIONAL
石英燈 Quartz lamp	1 pcs(支)	●	●	三爪夾頭組 3 jaw chuck	1set(組)	選配OPTIONAL	選配OPTIONAL
ER止水塞 ER rubber seal	20pcs(只)	●	●	CE全罩式 CE cover	1set(組)	選配OPTIONAL	選配OPTIONAL
馬達及噴水座 Motor and flush stand	1set(組)	●	●				
鎖刀架 Tool lock stand	1set(組)	●	●				

2

CNC
DRILL
EDM



CE



ISO 9001 : 2000

SY-CNC1210T

SY-CNC1210T

MACHINE SPECIFICATIONS

項目 ITEMS	單位UNIT	SY-CNC1210	SY-CNC1210T
刀具數量 ATC	PCS	----	20/30
工作台面積 Work table	mm	1300x1100	1300x1100
X/Y軸加工行程 X/Y axis travel	mm	1200x1000	1200x1000
Z/W軸加工行程 Z/W axis travel	mm	400x1000	400x1000
機械淨重 Machine weight	KGS	5000	5500
最大加工工件重量 Max. workpiece weight	KGS	2500	2500
工作台面至眼模板高度 Guide between worktable	mm	5-1000	5-1000
機台外觀尺寸 (長x寬x高) Machine dimension (LxWxH)	mm	2950x2550x3300	2950x2550x3300
輸入電壓 Power source	V	220/380/415/440	220/380/415/440
最大加工電流 Max. machining current	A	30	30
最大消耗電力 Max. power consumption	KVA	4	4

ACCESSORIES

項目 ITEMS	單位 UNIT	SY-CNC1210	SY-CNC1210T	項目 ITEMS	單位 UNIT	SY-CNC1210	SY-CNC1210T
刀桿組 Tool chuck set	set(組)	2	20/30	鎖刀架 Tool lock stand	1set(組)	●	●
浸水式工作水槽 Submerged tank	1set(組)	●	●	馬達及噴水座 Motor and flush stand	1set(組)	●	●
電子手輪 MPG	1set(組)	●	●	NC連結軟體 NC connecting with software	1set(組)	●	●
數位壓力錶 Digital pressure switch	1set(組)	●	●	網路線10M Web wire	1pcs(條)	●	●
工具箱 Tool box	1 pcs(只)	●	●	置刀架 Tool storage	1set(組)	選配OPTIONAL	●
眼模1.0mm Ceramic guide	1 pcs(只)	●	●	水箱(含水質設定系統) Water tank (including ionization treatment)	1set(組)	選配OPTIONAL	●
黃銅管1.0mm*400L Brass tube	20 pcs(支)	●	●	三爪夾頭組 3 Jaw chuck	1set(組)	選配OPTIONAL	選配OPTIONAL
空壓精密夾頭 Precise pneumatic chuck	1set(組)	●	●	自動換眼模組 12AGC	1set(組)	選配OPTIONAL	選配OPTIONAL
水平腳墊 Leveling pad	1set(組)	●	●	AB軸(分度盤) AB axis (rotary table)	1set(台)	選配OPTIONAL	選配OPTIONAL
捨棄式濾心 Disposable filter	2 pcs(支)	●	●	C軸(1000rpm旋轉軸) C axis rotation spindle speed control	1set(組)	選配OPTIONAL	選配OPTIONAL
平行墊高塊 Parallel working pad	1set(組)	●	●	X/Y軸光學尺 X/Y axis linear scale	1set(組)	選配OPTIONAL	選配OPTIONAL
十字&一字起子 Philip's head & flat head screwdriver	1set(組)	●	●	電動注油器 Auto lube grease	1set(組)	選配OPTIONAL	選配OPTIONAL
六角扳手組 Hexagon wrench set	1set(組)	●	●	電動幫浦 Electric piston pump	1set(台)	選配OPTIONAL	選配OPTIONAL
石英燈 Quartz lamp	1 pcs(支)	●	●	冷卻器 Chiller	1set(台)	選配OPTIONAL	選配OPTIONAL
ER止水塞 ER rubber seal	20pcs(只)	●	●	穩壓器 AVR	1set(台)	選配OPTIONAL	選配OPTIONAL
ER筒夾組 ER collet set	1set(組)	●	●				

3

CARBIDE
DRILL
EDM



SY-2535S



SY-CNC2535S



SY-CNC2535ST

CE



ISO 9001 : 2000

MACHINE SPECIFICATIONS

項目 ITEMS	UNIT	SY-2535S	SY-CNC2535S	SY-CNC2535ST	SY-CNC3040ST
刀具數量ATC (AEC)	Set(支)	---	---	12	20
工作台面積 Work table	mm	600x300	600x300	600x300	448x564
X/Y 軸加工行程 X/Y axis travel	mm	345x245	345x245	345x245	400x300
Z/W 軸加工行程 Z/W axis travel	mm	345x200	345x200	400x350	400x400
眼模導座行程 Electrode guide travel	mm	150	150	---	---
機械淨重 Machine weight	KGS	950	950	1000	1200
最大加工工件重量 Max. workpiece weight	KGS	300	300	300	500
工作台面至眼模板高度 Guide between worktable	mm	5-370	5-370	5-360	45-455
機台外觀尺寸(長x寬x高) Machine dimension (LxWxH)	mm	1620x1140x2325	1620x1140x2325	1620x1140x2325	1660x1850x2550
輸入電壓 Power source	V	220/380/415/440	220/380/415/440	220/380/415/440	220/380/415/440
最大加工電流 Max. machining current	A	30	30	30	30
最大消耗電力 Max. power consumption	KVA	4	4	4	4

ACCESSORIES

項目 ITEMS	UNIT	SY-2535S	SY-CNC2535S	SY-CNC2535ST	SY-CNC3040ST
刀桿組 Tool chuck	set(組)	---	2	12	20
油箱200L(含過濾系統) Oil tank (oil filter)	1set(台)	●	●	●	●
工具箱 Tool box	1 pcs(只)	●	●	●	●
棉濾心 Disposable filter	2 pcs(支)	●	●	●	●
眼模0.5mm Ceramic guide	1 pcs(只)	●	●	●	●
紅銅管0.5mm*400L Copper tube	20 pcs(支)	●	●	●	●
平行墊高塊 Parallel working pad	1set(組)	●	●	●	●
水平腳墊 Leveling pad	1set(組)	●	●	●	●
十字&一字起子 Philip' s head & flat head screwdriver	1set(組)	●	●	●	●
六角鉸手組 Hexagon wrench set	1set(組)	●	●	●	●
石英燈 Quartz lamp	1 pcs(支)	●	●	●	●
止水塞 Rubber seal	20pcs(只)	●	●(ER)	●(ER)	●(ER)
空壓精密夾頭 Precise pneumatic chuck	1set(組)	選配OPTIONAL	●	●	●
鎖刀架 Tool lock stand	1set(組)	---	●	●	●
置刀架 Tool storage	1set(組)	---	---	●	●
ER筒夾組 ER collet set	1set(組)	選配OPTIONAL	●	●	●
防火偵測系統及滅火器 Fire extinguisher	1set(組)	●	●	●	●
三爪夾頭 3 Jaw chuck	1set(組)	選配OPTIONAL	選配OPTIONAL	選配OPTIONAL	選配OPTIONAL
油用冷卻器 Chiller for oil	1set(台)	選配OPTIONAL	選配OPTIONAL	選配OPTIONAL	選配OPTIONAL
電動幫浦 Electric piston pump	1set(台)	選配OPTIONAL	選配OPTIONAL	選配OPTIONAL	選配OPTIONAL

4

ZNC
MANUAL
DRILL
EDM



CE



ISO 9001 : 2000

MACHINE SPECIFICATIONS

項目 ITEMS	UNIT	SY-2030AZNC	SY-2535ZNC	SY-3545ZNC	SY-4055ZNC
工作台面積 Work table	mm	480x210	600x300	600x300	800x450
X/Y 軸加工行程 X/Y axis travel	mm	300x200	350x250	450x350	550x400
Z/W 軸加工行程 Z/W axis travel	mm	345x200	345x200	345x200	345x250
X/Y/Z 光學尺顯示 X/Y/Z DRO resolution	mm	0.005	0.005	0.005	0.005
眼模導座行程 Electrode guide travel	mm	150	150	150	150
工作台面至眼模板高度 Guide between worktable	mm	5~360	5~370	5~380	95~495
最大加工工件重量 Max. workpiece weight	KGS	200	400	500	800
機械淨重 Machine weight	KGS	650	800	1000	1500
機台外觀尺寸(長 x 寬 x 高) Machine dimension (LxWxH)	mm	1000x1020x2070	1080x1080x2100	1400x1400x2200	1600x1500x2050
輸入電壓 Power source	V	220/380/415/440	220/380/415/440	220/380/415/440	220/380/415/440
最大加工電流 Max. machining current	A	30	30	30	30
最大消耗電力 Max. power consumption	KVA	4	4	4	4

ACCESSORIES

項目 ITEMS	UNIT	SY-2030AZNC	SY-2535ZNC	SY-3545ZNC	SY-4055ZNC
工具箱 Tool box	1pcs	●	●	●	●
水平腳墊 Leveling pad	1set	●	●	●	●
六角扳手組 Hexagon wrench set	1set	●	●	●	●
眼模 1.0mm Ceramic guide	1pcs	●	●	●	●
黃銅管 1.0mm*400L Brass tube	20pcs	●	●	●	●
ER 止水塞 ER Rubber seal	20pcs	●	●	●	●
捨棄式濾心 Disposable filter	2pcs	●	●	●	●
水桶 Bucket	2pcs	●	●	●	●
平行墊高塊 Parallel working pad	1set	●	●	●	●
十字&一字起子 Philip's head & flat head screwdriver	1set	●	●	●	●
ER 旋轉軸 ER spindle (for 3.0-6.0mm)	1set	●	●	●	●
ER 轉精密 3.0 夾頭 ER to precise chuck 0.2-3.0mm	1set	●	●	●	●
ER 筒夾木盒組 ER collet box	1set	●	●	●	●
石英燈 Quartz lamp	1pcs	●	●	●	●
馬達及噴水座 Motor and flush stand	1set	●	●	●	●
電動幫浦 Electric piston pump	1set	●	●	●	●